(MAREI): Assessment, Alternatives, and Restoration in Southern California Watersheds

R. Daniel Smith - ERDC, Environmental Laboratory
abatabai and Jae Chung - Los Angeles District, Regulatory

Special Area Management Plan

- Objectives
  - "…develop and implement a watershed-wide aquatic resource management plan and implementation program, which will include preservation, enhancement, and restoration of aquatic resources, while allowing reasonable and responsible economic development and activities within the watershed…"
  - Establish general programmatic permits for activities regulated under the 404 Program



Special Area Management Plan

- Requirements (Regulatory Guidance Letter 86-10)
  - Area experiencing rapid development and heavy permitting activity
  - Active involvement of federal, state, and local governmental agencies, non-governmental agencies, and stakeholders
  - Coordination with existing programs in establishing protection and management areas
  - Defined regulatory product (i.e., general permit)



Special Area Management Plan

- Payoffs
  - Regulated public gets an efficient and predictable permit review process
  - Corps gets the capability to look synoptically at Waters of the United States (WoUS) within in a watershed context



SAMP Watershed Locations

1993

Characterization of Watersheds





Characterization of Watersheds

Characterization of Watersheds

Characterization of Watersheds

Riparian Ecosystems

- Areas along ephemeral, intermittent, and perennial streams where surface and/or groundwater interactions result in distinctive geomorphic features and vegetation communities
- Normally includes the bankfull stream channel, active floodplain, and infrequently flooded terraces
-



Riparian Ecosystem Integrity

- Riparian ecosystems are defined in the context of a reference condition prior to cultural alteration
  - High integrity riparian ecosystems exhibit the full range of physical, chemical, and biological attributes and processes that characterized riparian ecosystems in the region, over short and long term cycles, and
  - Support a balanced, diverse, and adaptive biological community that has resulted natural evolutionary and biogeographic processes
- The integrity of riparian ecosystems depends on physical, chemical, and biological attributes and processes across multiple spatial scales including the riparian ecosystem proper and its drainage basin



MAREI Approach

- Phase 1: Identify location of riparian ecosystems
- Phase 2: Conduct baseline assessment of hydrologic, water quality, and habitat integrity of riparian ecosystems
- Phase 3: Conduct alternatives analysis
- Phase 4: Develop a watershed restoration plan
- Phase 5: Conduct supplementary studies for indicator revision/verification/calibration

Phase 1: Identification of Riparian Ecosystems

- Planning level delineation of Waters of the United States (WoUS), aquatic resources, and riparian ecosystems (Bob Lichvar – CRREL)
  - Develop GIS coverage for WoUS and riparian ecosystems using aerial photographs and topographic maps
  - Verify with a stratified random array of field samples
  - Assign a “probability” of jurisdictional status to each mapped polygon based on federal and state criteria

Geomorphic Surfaces



Vegetation Communities



Probability of Three Parameter Jurisdiction



Phase 2: Baseline Assessment

- Define riparian ecosystem assessment units
- Assess hydrologic, water quality, and habitat integrity of the riparian ecosystem units using “indicators” of across multiple spatial scales
- Calculate integrity indices and integrity units for each assessment unit



Riparian Reach Assessment Units

- Riparian reaches are defined as a segment of riparian ecosystem along a mainstem channel that is relatively homogeneous with respect to geology, geomorphology, stream channel geometry, substrate, and discharge, vegetation communities, and cultural alteration
- Riparian reaches are initially identified remotely using aerial photos / topographic maps, and then verified / revised during field data collection



Riparian Reach Assessment Units



Number of Riparian Reaches

Assessment Indicators

- “Indicators” are used to assess the attributes and characteristic that influence riparian ecosystem integrity
- Indicators capture information at three spatial scales
  - Riparian reach (riparian ecosystem proper)
  - Local drainage
  - Drainage basin

Spatial Scales of Assessment



Hydrologic Indicators

- Hydrologic indicators reflect:
  - The frequency, magnitude, and temporal distribution of stream discharge
  - Interaction between the stream channel and the floodplain

Hydrologic Indicators

- Hydrologic indicators include:
  - Extent of Impervious Surfaces
  - Altered Hydraulic Conveyance
  - Surface Water Retention in lakes, reservoirs, and ponds
  - Perennialized Stream Flow
  - Hydrologic Interaction between stream channel and floodplain
  - Import, Export, and Diversion of Surface Water

Water Quality Indicators

- Water quality indicators reflect:
  - Land use in a drainage basin with respect to the potential increase in non-point pollutants at multiple spatial scales
  - The stream delivery system in terms of magnitude, frequency, and temporal distribution
  - Hydrologic interaction between stream channel and floodplain







Water Quality Indicators

- Water quality indicators include:
  - Altered Hydraulic Conveyance – Reach Scale
  - Altered Hydraulic Conveyance - DB Scale
  - Surface Water Retention
  - Perennialized Stream Flow
  - Import, Export, or Diversion of Surface Water
  - Floodplain Interaction
  - Sediment Regime
  - Extent of Riparian Plant Communities
  - Land Use/Land Cover - Nutrient Increase
  - Land Use/Land Cover – Pesticide Increase
  - Land Use/Land Cover – Hydrocarbon Increase
  - Land Use /Land Cover – Sediment Increase

Habitat Indicators

- Habitat indicators reflect:
  - Spatial extent and quality of riparian habitat
  - “Continuity / Connectedness” of riparian habitat at multiple spatial scales
  - Spatial extent and quality of adjacent non-riparian habitat (i.e., uplands)

Habitat Indicators

- Extent and Condition of Riparian Plant Communities
- Extent of Exotic Plant Species
- Riparian Corridor Continuity – Riparian Reach Scale
- Riparian Corridor Continuity – Drainage Basin Scale
- Land Use / Land Cover – Riparian/Upland Boundary
- Land Use / Land Cover – Upland Buffer

Indicator Metric Values

- Indicators, and other variety of other characteristics, are measured in the field or from aerial photos
- Indicator are assigned a metric value from 0-100 reflecting the degree of deflection from the culturally unaltered “reference condition”, for example:
  - percent of culturally unaltered land use / land cover
  - percent of culturally unaltered stream channel
- Selected indicator metric values are then aggregated into hydrologic, water quality and habitat integrity indices

Integrity Indices

- Integrity indices are relative measure of deflection from reference condition not an absolute measure of ecosystem integrity
- Integrity indices also provide are relative estimate of cumulative impacts
- Integrity index * area of riparian reach results in integrity units

Range of Indicator Scores

- The range of metric values for individual indicators and integrity indices exhibit an even distribution
- This result is consistent with the range of conditions exhibited in the watersheds











Summary of Indictor Scores



Santa Margarita Watershed - Hydrologic Integrity Indices



Santa Margarita Watershed - Water Quality Integrity Indices



Santa Margarita Watershed - Habitat Integrity Indices



Phase 3: Alternatives Analysis

- Objectives
  - Develop a “preferred” alternative using baseline assessment results and other criteria:
    - Medium to high integrity indices
    - Corridors connecting existing large patches
    - Supporting threatened, endangered, or sensitive species
    - Critical habitats and management, conservation, or research reserve areas
  - Assess direct and indirect impacts of all alternatives
    - Simulate direct and indirect effects of each alternative on indicators
    - Recalculate integrity indices and integrity units
    - Compare baseline to simulated results using selected criteria





Resource Based Alternative
"Avoidance Area"

General Land Use Plan
Alternative
"Impact Area"



Alternative Transportation Corridors






BEE-T1a
SJMS-T2a
NFORK-T1a
N
W
E
S
TOLLROAD-5
Local Drainages
NFORK-T1b
Nonwetland Waters
Wetlands and Riparian Areas
0 Non-FloodPlain Riparian
2 Secondary FloodPlain Surface
3 Tertiary FloodPlain Surface
TOLLROAD-T1b
TOLLROAD-T1a
NFORK-1
TOLLROAD-3
SJMS-18
SJMS-1
TOLLROAD-2
TOLLROAD-1
STRAWBERRY-2
SJMS-T1a
SJMS-T1b
SFSJ-1
STRAWBERRY-1
SANDCYN-1
DRYCREEK-T2a
SFSJ-2
WASHBURN-3
DRYCREEK-1
DRYCREEK-3
SANDCYN-T1b
SANDCYN-2
SANDCYN-T1a
DRYCREEK-2
DRYCREEK-4
DOOR-T4c
SANDCYN-T2a
SANDCYN-T2b
SANDCYN-3
SANDCYN-4
0
1 Miles

Criteria for Comparing Alternatives

- WoUS directly and indirectly impacted (area / length)
- Riparian ecosystems directly and indirectly impacted (area)
- Critical habitat of threatened, endangered, and sensitive species directly impacted (area)
- Quantity of hydrologic, water quality, and habitat integrity units for riparian ecosystems directly and indirectly impacted
- Change in hydrologic, water quality, and habitat integrity units for riparian ecosystems directly and indirectly impacted

Miles of Stream Channel Directly Impacted (Ultimate Corridor Footprints)




Arroyo Toad Critical Habitat
Corridor Alternative
I-5-WIDE
FEC-TV
FEC-OHV
FEC-CV
FEC-APV
FEC-AFV
FEC
CC OHV
CC ALPV
CC
AIP
AIO
A7C-OHV
A7C-FECV-C
A7C-FECV AF
A7C-FECV
A7C-ALPV
A7C-7SV
A7C
0
50
100
150
200
250
300
350
400
450
500
Acres of Critical Habitat Impacted

Loss of Water Quality Integrity Units in Directly Impacted Riparian Ecosystems (Ultimate Corridor Footprints)



Phase 4: Watershed Restoration Plan

- Objective
  - Develop watershed wide restoration plan that establishes restoration templates and priorities for riparian ecosystems
- Approach
  - Classify each riparian reach by geomorphic zone
  - Identify current condition of each riparian reach
  - Determine appropriate restoration template based on condition
  - Estimate relative level of effort required for restoration
  - Simulate the change in hydrologic, water quality, and habitat indices following application of restoration template
  - Identify priority restoration areas based on selected criteria

Geomorphic Zones



Zone 1: "V" Shaped Valleys



Zone 2: Colluvial Valleys



Floodplain/Terrace Complexes



Zone 4: Small Alluvial Valleys



Zone 5: Large Alluvial Valleys



Geomorphic Zone Assignments



Incised Restoration Template





Bankfull Width: 1.5 m

Bankfull Depth : 0.15 m

Floodprone Width: 2.4 m

First Terrace
Width: 1.8 m
Height above Bankfull: 0.45 m

Second Terrace
Width: NA
Height Above Bankfull: NA

Constrained Restoration Template



Aggraded Restoration Template



Engineered Restoration Template



LEGEND

Characteristic Species/ Community Types

Sycamore

Willow

Mulefat

Arundo and other exotics

Natural Restoration Template



Restoration Template Assignments



Relative Level of Effort

- Level of Effort – None (1)
- Level of Effort – Light Planting (3)
- Level of Effort – Light Earthwork / Moderate to Heavy Planting (6)
- Level of Effort – Moderate Earthwork / Heavy Planting (8)
- Level of Effort – Heavy Earthwork / Heavy Planting (10)

Relative Level of Effort



Phase 4: Watershed Restoration Plan

- Objective
  - Develop watershed wide restoration plan that establishes restoration templates and priorities for riparian ecosystems
- Approach
  - Classify each riparian reach by geomorphic zone
  - Identify current condition of each riparian reach
  - Assign appropriate restoration template based on condition
  - Estimate relative level of effort required for restoration
  - Simulate the change in hydrologic, water quality, and habitat indices following application of restoration template
  - Identify priority restoration areas based on selected criteria

Change in Hydrologic Integrity Index Following Simulated Restoration



Change in Hydrologic Integrity Index / Level of Effort Following Simulated Restoration



Classifying Wetland Assessment Techniques